



# Possible Space-based Gravitational-wave Observatory Mission Concept



Jeffrey C. Livas<sup>1</sup>, for the Gravitational-wave Mission Concept Development Team

<sup>1</sup>Gravitational Astrophysics Laboratory, NASA Goddard Space Flight Center, Greenbelt, MD USA



## Abstract

The existence of gravitational waves was established by the discovery of the Binary Pulsar PSR 1913+16 by Hulse and Taylor in 1974, for which they were awarded the 1983 Nobel Prize. However, it is the exploitation of these gravitational waves for the extraction of the astrophysical parameters of the sources that will open the first new astronomical window since the development of gamma ray telescopes in the 1970's and enable a new era of discovery and understanding of the Universe. Direct detection is expected in at least two frequency bands from the ground before the end of the decade with Advanced LIGO and Pulsar Timing Arrays. However, many of the most exciting sources will be continuously observable in the band from 0.1-100 mHz, accessible only from space due to seismic noise and gravity gradients in that band that disturb ground-based observatories. This poster will discuss a possible mission concept, Space-based Gravitational-wave Observatory (SGO-Mid) developed from the original Laser Interferometer Space Antenna (LISA) reference mission but updated to reduce risk and cost.

## Mission Concept Development Team

Study Manager: **Ken Anderson, NASA/GSFC**  
Study Scientist: **Tuck Stebbins, NASA/GSFC**

### Community Science Team

**Rainer Weiss, MIT (Co-chair)**  
**Edward Wright, UCLA (Co-chair)**  
Peter Bender, University of Colorado  
Joan Centrella, NASA/GSFC  
Neil Cornish, Montana State University  
Jens Gundlach, University of Washington  
Ronald Hellings, Montana State University  
Guido Mueller, University of Florida  
Holger Mueller, U. C. Berkeley  
Thomas Prince, Caltech

### Science Task Force

**Neil Cornish, Montana State University (Chair)**  
John Baker, NASA/GSFC  
Matthew Benacquista, University of Texas Brownsville  
Emanuele Berti, University of Mississippi  
Curt Cutler, NASA/JPL  
Ron Hellings, Montana State University  
Ryan Lang, Washington University  
Shane Larson, Utah State University  
Tyson Littenberg, NASA GSFC  
Jeffrey Livas, NASA/GSFC  
Sean McWilliams, Princeton University  
James Ira Thorpe, NASA/GSFC  
Michele Vallisneri, NASA/JPL

### Core Team

Petar Arsenovic, NASA/GSFC  
John Baker, NASA/GSFC  
Peter Bender, University of Colorado  
Edward Brinker, NASA/GSFC  
Jordan Camp, NASA/GSFC  
John Crow, NASA/GSFC  
Curt Cutler, NASA/JPL  
Glenn deVine, NASA/JPL  
Robert Gallagher, NASA/GSFC  
William Klipstein, NASA/JPL  
Steve Leete, NASA/GSFC  
Jeff Livas, NASA/GSFC  
Kirk McKenzie, NASA/JPL  
Guido Mueller, University of Florida  
Juergen Mueller, NASA/JPL  
Kyle Norman, NASA/GSFC  
Kenji Numata, NASA/GSFC  
Babak Saif, NASA/GSFC  
Robert Spero, NASA/JPL  
James Ira Thorpe, NASA/GSFC  
Michele Vallisneri, NASA/JPL  
Brent Ware, NASA/JPL  
Gary Welter, NASA/GSFC  
John Ziemer, NASA/JPL

Final report: <http://pcos.gsfc.nasa.gov/studies/gravitational-wave-mission.php>

## Mission Concept Comparison

		This poster	Best
Parameter	NGO	SGO Mid	LISA
Measurement arm length	1 x 10 <sup>6</sup> km	1 x 10 <sup>6</sup> km	5 x 10 <sup>6</sup> km
Number & type of spacecraft	1 corner (2 optical assemblies, 2 end (single optical assembly)	3 corner (2 optical assemblies)	3 corner (2 optical assemblies)
Number of measurement arms, one-way links	2 arms, 4 links	3 arms, 6 links	3 arms, 6 links
Constellation	Vee	Triangle	Triangle
Gravitational-wave polarization measurement	Single instantaneous polarization, second polarization by orbital evolution	Two simultaneous polarizations continuously	Two simultaneous polarizations continuously
Orbit	Heliocentric, earth-trailing, drifting-away 9° - 21°	Heliocentric, earth-trailing, drifting-away 9° - 21°	22° heliocentric, earth-trailing
Trajectory	Launch to Geosynchronous Transfer Orbit, transfer to escape, 14 months	Direct injection to escape, 18 months	Direct injection to escape, 14 months
Duration of science observations	2 years	2 years	5 years
Launch vehicle	Two Soyuz-Fregat	Single Medium EELV (e.g., Falcon 9 Block 3)	Single Medium EELV (e.g., Atlas V 551)
Optical bench	Low-CTE material, hydroxy-catalysis construction	Low-CTE material, hydroxy-catalysis construction	Low-CTE material, hydroxy-catalysis construction
Laser	2 W, 1064 nm, frequency and power stabilized	1 W, 1064 nm, frequency and power stabilized	2 W, 1064 nm, frequency and power stabilized
Telescope	20 cm diameter, off-axis	25 cm diameter, on-axis	40 cm diameter, on-axis
Gravitational Reference Sensor	46 mm cube Au:Pt, electrostatically controlled, optical readout	46 mm cube Au:Pt, electrostatically controlled, optical readout	46 mm cube Au:Pt, electrostatically controlled, optical readout


## Science Comparison

		This poster	Best
	NGO	SGO Mid	LISA
Massive Black Hole Binary Totals	40-47	41-52	108-220
Detected z > 10	1-3	1-4	3-57
Both mass errors < 1%	13-30	18-42	67-171
One spin error < 1%	3-10	11-27	49-130
Both spin errors < 1%	<1	<1	1-17
Distance error < 3%	3-5	12-22	81-108
Sky location < 1 deg^2	1-3	14-21	71-112
Sky location < 0.1 deg^2	<1	4-8	22-51
Extreme Mass-Ratio Inspirals	12	35	800
Resolved Compact WD Binariess	3,889	7,000	40,000
Interacting	50	100	1,300
Detached	5,000	8,000	40,000
Sky location < 1 deg^2	1,053	2,000	13,000
Sky location < 1 deg^2, distance error < 10%	533	800	8,000
Stochastic Background (normalized)	0	0.2	1

## SGO-Mid Mission Summary


- Mission Design
  - 10<sup>6</sup> km arm-length, 3 arms, 60 deg triangle
  - 3 identical spacecraft
  - LISA-like payload
    - 25 cm telescope/1 W laser
  - 9-21 degree drift away heliocentric orbit
  - Direct injection to escape, 18 mo transfer
    - Single EELV (e.g. Falcon 9 Block 3)
  - Baseline 2 year lifetime + 2 years
    - Limited by communications bandwidth

3 identical arms enables simultaneous measurement of both polarizations of gravitational waves, which is essential for parameter extraction, particularly of transient events such as mergers.





## Sciencecraft

### Full Sciencecraft Bus




Solar array not shown for clarity

### Disturbance Reduction System Detail




### Interferometry Measurement System Detail




## Propagation Module


### Sciencecraft



## Launch Stack in 5 m Fairing



## Science Orbits



## Falcon Heavy EELV



4 months commissioning



## Summary

The LISA-like mission concept SGO-Mid is based on the baseline LISA mission design, but has been updated to reduce risk and cost. The main differences with the baseline are the shorter armlength (1 million km instead of 5) and the mission lifetime (2 years instead of 5). Science return is maximized by keeping three arms to allow simultaneous measurement of both polarizations as well as a Sagnac configuration that allows careful measurement of the noise. Drift away orbits offer graceful degradation as the constellation moves out of communications range.